

# AT880 HF



 Windows Windows CE 5.0 / Windows Embedded handheld 6.5



3.7V 2,970mAh battery



512MB RAM / 512MB ROM



IP65  
30°C ~+70°C  
5% RH ~95%RH non condensing  
Multiple 1.5m



RFID HF

V1.0  
Non-contractual datasheet

## Physical specifications

Operating System	Windows CE 5.0 / Windows Embedded handheld 6.5
Processor	Marvell™ PXA 320 806MHz
Memory	512MB RAM / 512MB ROM
Dimensions	79 (W) x 159 (L) x 27.7 (35.2) (H) mm
Weight	280g (PDA only, without battery)
Display	3.5" QVGA with Backlight, TFT LCD, 240×320Pixel, 262K Color
Battery	3.7V 2,970mAh Lithium Polymer battery (Rechargeable) 3.7V 80mAh Lithium Polymer backup battery (Rechargeable) Input AC100V ~ 240V / Output DC 5V 3A Power Adapter
I/O Ports	USB 1.1 Client / USB Host & Serial (RS-232) via gender cable or Cradle
Keys	1Micro SD Slot (SDHC), 1SIM Slot, 1 SAM Slot
Camera	3Mp. Auto Focus with Flash
Audio	Phone Receiver, Speaker, Ear Jack, Microphone

## Wireless communication

Wifi	802.11 a / b / g / n Option
Bluetooth	Bluetooth Class II, v2.1 + EDR
3G / 4G	MODEM 3G (GSM / GPRS / EDGE / WCDMA / HSPA+)
GPS	Internal Antenna (GPS + Glonass Option)

## User Environment

Operating temperature	-20°C to +60°C
Storage temperature	-30°C to +70°C
Humidity	95% relative humidity not condensation
Protection grade	IP65 Drop Specification Multiple 1.5m/4.9ft drops (at least 20 times) to the concrete across the operating temperature range
Certification	CE, FCC, CCC, IC

## Data collection

### RFID

RFID High Frequency	Applied RFID Tag : ISO15693, MIFARE, ISO14443 A / B (Option) Reading range : According to Tag 0Cm ~ 5Cm (Internal or External)
---------------------	---

### Barcode 1D/2D

Barcode Scanner	1D or 2D barcode Scanner
-----------------	--------------------------

**V1.0**  
*Non-contractual datasheet*

## Additional features

Notification	Vibrator and LED, Speaker
Standard Interface	USB 1.1 Host / USB Client / DC Power Jack / Extra Battery Charger / Serial (RS232) via gender cable
Ethernet Interface	RJ-45 Ethernet Interface (Option)

## Accessories (option)

### Included



Hand strap



Adapter AC cable



Protection film



Stylus pen

### Optional

Gun Handle Grip (Pistol Grip)	Body, UHF / HF Available
Gun Handle Battery	Lithium-Ion 3.7V 5,200mAh (Rechargeable) Option



Cradle



Gun handle