


CATALOGUE

Equipement RFID





AXEM Technology, expert et fabricant RFID

AXEM Technology relève les défis de la RFID et de l'identification !

Pour les besoins courants, AXEM Technology propose une gamme standard et complète de produits RFID industriels :

- Identifiants : tags et étiquettes industriels, tags blanchisserie, tags contrôle d'accès.
- Lecteurs RFID : lecteurs et terminaux mobiles, lecteurs industriels et de bureau et OEM.

Pour les exigences les plus élevées, AXEM Technology a pour ambition de concevoir les produits RFID de demain en s'appuyant sur l'expertise de ses ingénieurs et sur le potentiel de son laboratoire RFID, AXEM Lab.


« Imaginons la RFID de demain, imaginons-la ensemble »



Lecteurs industriels.....	4
Antennes industrielles.....	6
Références produits.....	11

Lecteurs industriels

	RFID	Module	Puissance sortie	Canaux antennes	Interface
S-8800	UHF	Indy R2000	0-33 dBm	8	RS232, TCP/IP
S-8600	UHF	Indy R2000	0-33 dBm	4	RS232, TCP/IP



S-8800

RFID	UHF
Module	Indy R2000
Puissance sortie	33 dBm
Interface	8 x RP-TNC Femelle
Port I/O	RS232 or TCP/IP
I/O port	Oui

Accessories

Câbles d'antennes : RP-TNC-J/ SMA-J ou RP-TNC-J/NJ, longueur 3m ou 7m, Diamètre : 3mm ou 5mm




S-8600

RFID	UHF
Module	Indy R2000
Puissance sortie	33 dBm
Interface	8 x RP-TNC Femelle
Interface	RS232 or TCP/IP
Port I/O	Oui

Accessories

Câbles d'antennes : RP-TNC-J/ SMA-J ou RP-TNC-J/NJ, Longueur 3m ou 7m, Diamètre : 3mm ou 5mm

Produit	Fréquence	Polarisation	Gain	Dimensions	Connecteur
L10-1606	UHF	Linéaire	10 dbi	1600 x 60 x 22mm	SMA-Femelle
C6-1313	UHF	Circulaire	6 dbi	130 x 130 x 18mm	SMA-Femelle
C9-2626	UHF	Circulaire	9 dbi	260 x 260 x 40mm	N-Femelle
C12-12019	UHF	Circulaire	12 dbi	1200 x 190 x 20mm	SMA-Femelle
C12-4444-4	UHF	Circulaire	12 dbi	440 x 440 x 40mm	N-Femelle
C12-4444-9	UHF	Circulaire	12 dbi	440 x 440 x 95mm	SMA-Mâle
L5-469	UHF	Linéaire	5 dbi	460 x 90 x 20mm	SMA-Femelle
L10-6010	UHF	Linéaire	10 dbi	600 x 100 x 28mm	SMA-Femelle
L15-12028	UHF	Linéaire	15 dbi	1200*280*125mm	N-Femelle
M30	UHF	Circulaire	8 dbi	M30 x 60mm / M30 x 53 (90° version)	TNC-Femelle
M30	HF	Circulaire	-	M30 x 78mm	Lumberg



L10-1606

Polarisation	Linéaire
Gain	10 dbi
Dimensions	1600 x 60 x 22mm
Canaux antennes	SMA-Femelle

Accessoires Support mural



C6-1313

Polarisation	Circulaire
Gain	6 dbi
Dimensions	130 x 130 x 18mm
Canaux antennes	SMA-Femelle


Accessoires Support mural



C9-2626

Polarisation	Circulaire (droite et gauche)
Gain	9 dbi
Dimensions	260 x 260 x 40mm
Canaux antennes	N-Femelle

Accessoires Support mural



C12-12019

Polarisation	Circulaire (droite et gauche)
Gain	12 dBi
Dimensions	1200 x 190 x 20mm
Canaux antennes	SMA-Femelle

Accessoires Support mural



C12-4444-4

Polarisation	Circulaire (droite et gauche)
Gain	12 dBi
Dimensions	440 x 440 x 40mm
Canaux antennes	N-Femelle

Accessoires Support mural



C12-4444-9

Polarisation	Circulaire (droite et gauche)
Gain	12 dBi
Dimensions	440 x 440 x 95mm
Canaux antennes	SMA-Mâle


Accessoires Support mural



L5-469

Polarisation	Linéaire
Gain	5 dbi
Dimensions	460 x 90 x 20mm
Canaux antennes	SMA-Femelle

Accessoires	Support mural
-------------	---------------



L10-6010

Polarisation	Linéaire
Gain	10 dbi
Dimensions	600 x 100 x 28mm
Canaux antennes	SMA-Femelle


Accessoires	Support mural
-------------	---------------



L15-12028


Polarisation	Linéaire
Gain	15 dbi
Dimensions	120 x 280 x 125mm
Canaux antennes	N-Femelle

Accessoires	Support mural
-------------	---------------



M30

Polarisation	Circulaire
Gain	8 dBi
Dimensions	M30 x 60mm / M30 x 53 (version 90°)
Canaux antennes	TNC-Femelle



M30

Polarisation	Circulaire
Dimensions	M30 x 78mm
Canaux antennes	Lumberg

Références produits

S-8800 reader

LCUHF0653	Industrial reader S-8800 UHF, Ethernet, RS232, 8 antenna ports RP-TNC-K
CA0718	Antenna cable for S-8800, D7mm, L6m, RP-TNC-J/ SMA-J
CA0717	Antenna cable for S-8800, D7mm, L6m, RP-TNC-J/NJ
CA0716	Antenna cable for S-8800, D7mm, L3m, RP-TNC-J/ SMA-J
CA0679	Antenna cable for S-8800, D7mm, L3m, RP-TNC-J/NJ
CA0656	Antenna cable for S-8800, D5mm, L3m, RP-TNC-J/NJ

Pour d'autres câbles, veuillez nous contacter.

S-8600 reader

LCUHF0652	Industrial reader S-8600 UHF, Ethernet, RS232, 4 antenna ports RP-TNC-K
CA0718	Antenna cable for S-8600, D7mm, L6m, RP-TNC-J/ SMA-J
CA0717	Antenna cable for S-8600, D7mm, L6m, RP-TNC-J/NJ
CA0716	Antenna cable for S-8600, D7mm, L3m, RP-TNC-J/ SMA-J
CA0679	Antenna cable for S-8600, D7mm, L3m, RP-TNC-J/NJ
CA0656	Antenna cable for S-8600, D5mm, L3m, RP-TNC-J/NJ

Pour d'autres câbles, veuillez nous contacter.

L10-1606

ANTUHF1073	Antenna UHF L10-1606, Linear, 1600x60x22mm, 10dBi, SMA F connector, EU
ANTUHF1073US	Antenna UHF L10-1606, Linear, 1600x60x22mm, 10dBi, SMA F connector, US

C6-1313

ANTUHF1075	Antenna UHF C6-1313, right circular, 130x130x18mm, 6dBi, SMA Female connector, EU
ANTUHF1075-G	Antenna UHF C6-1313, left circular, 130x130x18mm, 6dBi, SMA Female connector, EU
ANTUHF1075US	Antenna UHF C6-1313, right circular, 130x130x18mm, 6dBi, SMA Female connector, US
ANTUHF1075US-G	Antenna UHF C6-1313, left circular, 130x130x18mm, 6dBi, SMA Female connector, US

C9-2626

ANTUHF1145EU	Antenna UHF C9-2629, right circular, 260x260x40mm, 9dBi, N Female connector, EU
ANTUHF1145EU-G	Antenna UHF C9-2629, left circular, 260x260x40mm, 9dBi, N Female connector, EU
ANTUHF1145US	Antenna UHF C9-2629, right circular, 260x260x40mm, 9dBi, N Female connector, US
ANTUHF1145US-G	Antenna UHF C9-2629, left circular, 260x260x40mm, 9dBi, N Female connector, US

C12-12019

ANTUHF1078EU	Antenna UHF C12-12019, right circular, 1200x190x20mm, 12dBi, SMA Female connector, EU
ANTUHF1078EU-G	Antenna UHF C12-12019, left circular, 1200x190x20mm, 12dBi, SMA Female connector, EU
ANTUHF1078US	Antenna UHF C12-12019, right circular, 1200x190x20mm, 12dBi, SMA Female connector, US
ANTUHF1078US	Antenna UHF C12-12019, left circular, 1200x190x20mm, 12dBi, SMA Female connector, US

Pour toute autre demande, veuillez nous contacter.

2022 Catalogue - Equipement RFID v1.0

Document non contractuel

Références produits

C12-4444-4

ANTUHF1074	Antenna UHF C12-4444-4, right circular, 440x440x40mm, 12dBi, N Female connector, EU
ANTUHF1074-G	Antenna UHF C12-4444-4, left circular, 440x440x40mm, 12dBi, N Female connector, EU
ANTUHF1074US	Antenna UHF C12-4444-4, right circular, 440x440x40mm, 12dBi, N Female connector, US
ANTUHF1074US-G	Antenna UHF C12-4444-4, left circular, 440x440x40mm, 12dBi, N Female connector, US

C12-4444-9

ANTUHF1080EU	Antenna UHF C12-4444-9, right circular, 440*440*95mm, 12dBi, SMA Male connector, EU
ANTUHF1080EU-G	Antenna UHF C12-4444-9, left circular, 440*440*95mm, 12dBi, SMA Male connector, EU
ANTUHF1080US	Antenna UHF C12-4444-9, right circular, 440*440*95mm, 12dBi, SMA Male connector, US
ANTUHF1080US-G	Antenna UHF C12-4444-9, left circular, 440*440*95mm, 12dBi, SMA Male connector, US

L10-6010

ANTUHF1082	Antenna UHF L10-6010, Linear, 600x100x28mm, 10dBi, SMA F connector, EU
ANTUHF1082US	Antenna UHF L10-6010, Linear, 600x100x28mm, 10dBi, SMA F connector, EU

L12-9010

ANTUHF1083	Antenna UHF L12-9010, Linear, 900x100x28mm, 12dBi, SMA F connector, EU
ANTUHF1083US	Antenna UHF L12-9010, Linear, 900x100x28mm, 12dBi, SMA F connector, US

L15-12028

ANTUHF1087EU	Antenna UHF L15-12028, Linear, 1200*280*125mm, 15dBi, N-Female connector, EU
ANTUHF1087US	Antenna UHF L15-12028, Linear, 1200*280*125mm, 15dBi, N-Female connector, US

M30

ANTUHF0424SN	Antenna UHF Bluebox, cable 1,5m , connector TNC
ANTUHF0436SN	Antenna UHF Bluebox M30, connector TNC 90°
ANTBF9223L	Antenna LF Bluebox M30, cable 1,5m

Pour toute autre demande, veuillez nous contacter.

2022 Catalogue - Equipement RFID v1.0
Document non contractuel